

04-28-00

A

**UTILITY PATENT APPLICATION
TRANSMITTAL UNDER 37 CFR 1.53(b)**
ATTORNEY DOCKET 81020F-P

To: Commissioner for Patents
Box Patent Application
Washington, D.C. 20231

Express Mail Label No.
EL 267 105 414 US
Date: April 27, 2000
**METHOD OF ORGANIZING DIGITAL IMAGES
ON A PAGE**
First Named Inventor (or Application Identifier):
Richard A. Simon
Enclosed are:

- | | |
|---|--|
| 1. <input checked="" type="checkbox"/> Specification | 6. <input checked="" type="checkbox"/> Assignment of the invention to
Eastman Kodak Company |
| 2. <input type="checkbox"/> 8 Sheet(s) of drawing(s) | 7. <input type="checkbox"/> Certified copy of a priority
document |
| 3. <input type="checkbox"/> Information Disclosure Statement Under 37 CFR 1.97. | 8. <input type="checkbox"/> Associate Power of Attorney |
| 4. Combined Declaration for Patent Application and Power of Attorney: | |
| 4a. <input checked="" type="checkbox"/> New | |
| 4b. <input type="checkbox"/> Copy from a prior application (37 CFR 1.63(d) (for continuation/divisional with Box 11 completed) | |
| 5. <input type="checkbox"/> Incorporation by Reference (useable if Box 4b is
checked) The entire disclosure of the prior application, from which a
copy of the oath or declaration is supplied under Box 4b, is
considered as being part of the disclosure of the accompanying
application and is hereby incorporated by reference therein. | 9. <input type="checkbox"/> Deletion of Inventor(s).
Signed statement attached deleting inventor(s) named in
the prior application, see 37 CFR 1.63(d)(2) and 1.33(b). |

10. ☐ If a 111A application prior to examination of the above-identified application, amend the specification at Page 1,
after the title, by inserting the following:
--CROSS REFERENCE TO RELATED APPLICATION
Reference is made to and priority claimed from U.S. Provisional Application Serial No. ,
filed , entitled .

If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:

11. ☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No: 2
12. ☒ Please address all written communications to Milton S. Sales, Patent Legal Staff,
Eastman Kodak Company, 343 State Street, Rochester, NY 14650-2201.
Please Direct all telephone calls to Frank Pincelli at (716) 588-2728.

The filing fee has been calculated as shown below:

FOR:	NO. FILED	NO. EXTRA	RATE	FEE
BASIC FEE				\$ 690
TOTAL CLAIMS	23 - 20 =	3	x 18 =	\$ 54
INDEPENDENT CLAIMS	4 - 3 =	1	x 78 =	\$ 78
MULTIPLE DEPENDENT CLAIM PRESENTED			+ 260	\$0
			TOTAL	\$ 822

- ☒ Please charge my Eastman Kodak Company Deposit Account No. **05-0225** in the amount of \$ 822 .

A duplicate copy of this sheet is enclosed

- ☒ The Commissioner is hereby authorized to charge any additional filing fees required under
37 CFR 1.16 or credit any overpayment to Eastman Kodak Company Deposit Account No. **05-0225**.

A duplicate copy of this sheet is enclosed.

Frank Pincelli/djs
Telephone: (716) 588-2728
Facsimile: (716) 477-4646

Frank Pincelli
Attorney for Applicants
Registration No. 27,370

jc530 U.S. PTO
09/559478
04/27/00

04/27/00

04/27/00

ORIGINAL

Application Based on

Docket **81020F-P**

Inventors: Richard A. Simon

METHOD OF ORGANIZING DIGITAL IMAGES ON A PAGE

Commissioner for Patents,
ATTN: BOX PATENT APPLICATION
Washington, D. C. 20231

Express Mail Label No.: EL 267 105 414 US

Date: April 27, 2000

METHOD OF ORGANIZING DIGITAL IMAGES
ON A PAGE

FIELD OF THE INVENTION

5 The present invention relates to a method, system and computer software program for automatically organizing digital on a page that is especially useful when images of various sizes are presented for placement on the page.

BACKGROUND OF THE INVENTION

10 Photographic albums provide a way to store, organize, and display pictorial information. Typically this pictorial information corresponds to important life memories of the individual who created the photographic album. These memories can correspond to photographs, and keepsakes and mementos such as, greeting cards, invitations, hand drawn images, etc. Each year an extremely large number of photographs are developed, looked at and stuffed in a drawer or shoebox. Digital images suffer the same fate as their hardcopy cousins
15 except in this case they are “stuffed onto” digital storage devices such as hard drives and CD-ROMS. The individual usually has good intentions of creating a photo album, but never quite gets around to it. This is because the process of creating a photo album is a time consuming, difficult deed that usually provides less than satisfactory results.

20 Typically the process of creating a photo album is done by either cutting and attaching hardcopy images onto an album page or by scaling, cropping, and inserting digital images into album pages via commercially available imaging software such as Microsoft PictureIt™. One important step in creating an album page is the ability to easily arrange and fit the desired number
25 of digital images on the album page. One way of simplifying the process of arranging digital images is to use templates that have predefined locations for the images. Templates provide an easy way to album images but they are not always efficient in their use of space. With templates the selected images are either proportionately sized or cropped and sized to fit in the selected location in the
30 template. Proportionately sizing the image to fit a template can lead to considerable space being wasted on the album page. The process of cropping an image to fit a template can lead to important pictorial information being cut out of

the image. A further disadvantage to templates is the user can only choose from the available templates. If there are no acceptable templates available, the user is forced to resort to the tedious process of individually scaling, cropping, and placing the images on the page until an acceptable arrangement is found. With the advent of Advanced Photo System, digital scanners, digital cameras, and digital image editing software, digital images can have a multitude of various aspect ratios. This can make the process of arranging images on a page even more challenging. In addition, it is impossible to have templates that can facilitate all the possible combination of images.

10 The present invention solves many of the problems of the prior art. It provides an easy and efficient way of arranging digital images of various size aspect ratios on an album page. In addition, the current invention provides the user with an easy way to generate a large number of different arrangements of the same images and thus allowing the user to choose a preferred arrangement.

15 **SUMMARY OF THE INVENTION**

 The above, and other objects, advantages and novel features of the present invention will become more apparent from the accompanying detailed description thereof when considered in conjunction with the following drawings.

 In accordance with one aspect of the present invention there is provided a method of organizing a plurality of images in a predetermined page format, comprising the steps of:

- 20 grouping the plurality of images into a plurality of different page layouts;
- analyzing each of the different page layouts in accordance with a predetermined criteria; and
- 25 selecting the page layout based on the predetermined criteria.

 In accordance with another aspect of the present invention there is provided a system for organizing a plurality of images in a predetermined format, comprising:

- 30 a first computer for composing a plurality of digital images on a page;

a software program such that when loaded on the computer will cause the computer to group the plurality of images into a plurality of different page layouts;

- 5 analyzing each of the different page layouts in accordance with a predetermined criteria; and
selecting the page layout based on the predetermined criteria.

In accordance with another aspect of the present invention there is provided a computer software product for organizing a plurality of images in a predetermined format comprising a computer readable storage medium having a
10 computer program which when loaded into a computer causes the computer to perform the following steps:

- grouping the plurality of images into a plurality of different page layouts;
analyzing each of the different page layouts in accordance with a
15 predetermined criteria; and
selecting the page layout based on the predetermined criteria.

In accordance with yet another aspect of the present invention there is provided a method of organizing a plurality of images in a predetermined page format, comprising the steps of:

- 20 providing a plurality of digital images;
selecting a number of the images for placement on the predetermined format;
grouping the plurality of images into a plurality of different page layouts;
25 analyzing each of the different page layouts in accordance with a predetermined criteria; and
selecting the page layout based on the predetermined criteria.

BRIEF DESCRIPTION OF THE DRAWINGS

In the detailed description of the preferred embodiments of the
30 invention presented below, reference is made to the accompanying drawings in which:

Fig.1 is a schematic diagram of a system for practicing the present invention;

Fig. 2 is a page having a template layout in accordance with the prior art;

5 Fig. 3 is plan view of a plurality of images for placement on an page;

Fig. 4 is a plan view of the page of Fig.2 having the images of Fig. 3 placed thereon;

Fig. 5 flow chart of a method for determining a page layout for a plurality of images in accordance with the present invention;

Fig. 6 is plan view of the format of a page on which the images of Fig. 3 are to be placed in accordance with the present invention;

Fig. 7 is a flow chart illustrating one of the steps in calculating the page layout method of Fig. 5;

15 Fig. 8 is an initial image page layout of the images to be placed on the page;

Fig. 9 is a modified image page layout of Fig. 8 after further manipulation;

Fig. 10 is a modified image page layout of Fig. 9 after yet still further manipulation;

Figs. 11-15 illustrate yet further manipulation that may be made to the image page layout; and

Fig. 16 is flow chart of a method of providing further image page manipulation.

25 DETAILED DESCRIPTION OF THE INVENTION

In the present invention, the term page as used herein is meant to include an album or scrapbook page, poster, soft copy display, or any other format where images are displayed.

FIG. 1 illustrates a system 10 that can be useful in practicing the present invention. The system 10 includes a personal computer PC 12 containing a central processing unit (CPU) that can execute a set of predefined steps in carrying out the method of the present invention. A digital storage media 20 is

also provided in PC 12 for storing digital images. The digital storage media 20 can include different types of devices, such as RAM, ROM, hard and floppy drives, etc. The digital storage media 20 can also be used to store the generated image page. In addition, digital image capture devices such as scanner 28 and 5 digital cameras 30, which are additional sources of digital images, can also be provided to the computer 12. It is to be understood that the digital images may be obtained from any source. A user interacts with the computer 12 via input devices 40, such as a mouse and/or keyboard, and a display monitor 50 that is connected to the computer 12. The system 10 may also contain a device such as a printer 61 10 for outputting the image page. Alternatively, the above components do not have to all reside on the host computer 12 but can reside on a server 63 located at a network service provider 64 which can be connected via a communication network 70. The communication network 70 may comprise the Internet 74 which can be accessed by an individual using an Internet Service Provider (ISP) 76. The 15 network service provider 64 may also include a customer database 66 for storing information regarding customers and a image storage data base for storing of digital images provided by the customer either by the internet 74 or by any other means. The service provider 64 will be equipped to provide goods and/or services as described herein or any other goods and/or services desired. The remote 20 network service provider may also be accessed by a customer using a retail kiosk or any other appropriate communication device.

Referring to Fig. 2 there is illustrated a prior art, a page 41 that incorporates a template 42 made in accordance with the prior art. The template 42 comprises a plurality of predefined locations 43 – 47 for the placement of images 25 that are used to simplify the process of arranging images on a page. A weakness of using pages with a predefined template becomes very apparent when the images selected to be arranged on the page have very diverse aspect ratios. FIG. 3 shows five images 54, 56, 58, 60, and 62 that are to be arranged on a page and FIG. 3 shows a page that has predefined locations for the five images. FIG. 4 30 shows the results of proportionately sizing the images to fit in template 42. As can be seen, this leads to a considerable amount of space on the page being

squandered. That is, large areas of the page are void of images. In addition the size of the images are substantially reduced when they are sized to fit the location.

FIG. 5 is a schematic flow chart illustrating the method of constructing an image page layout according to the present invention using computer software program made in accordance with the present invention. A plurality of digital images (such as shown by FIG. 3) that can be placed on an image page are stored in a database at step 100. In the present invention, digital images refers not only to images obtained from photographs, but to digital images obtained from any source, for example but not by way of limitation, digital camera, scanning of a hard copy document, or electronically from another source. The format of a page 80 (see FIG. 6) on which the images 54, 56, 58, 60, and 62 are to be arranged is selected at step 110 by either specifying the height and width of the page or alternatively the aspect ratio (i.e. width/ height or height/width) of the page can be specified. The digital images to be arranged on the image page are then selected at step 120 either manually, semi-automatically, or automatically from the database where the images are stored. The semi-automatic and automatic selection process, can make use of data, such as time and date, that is recorded along with images and digital image processing techniques, such as image content analysis, to help select relevant images that should appear on a given image page. Optionally, the images 54, 56, 58, 60, and 62 to be arranged on the page can be normalized at step 130. Normalizing the images prevents one image from spatially dominating the page layout. This is especially true when one image is much larger or smaller than the rest of the images. A preferred normalization is one in which the images are isotropically scaled so that their shortest dimension (height or width) are all equivalent. The normalized height and width of the images to be arranged on the image page and the format of the image page are passed to the page layout subroutine 140. The layout subroutine 140 calculates a page layout of the images on the image page 80 and displays 150 the results on display monitor 50. At this point the user can either accept 160 the image page layout or iterate through the page layout subroutine 140 until an acceptable image page is obtained. When an acceptable image page layout is obtained at step 170, the image page layout and images may be stored on the host

computer 12, printed by printer 61, or transmitted to another site via the network 70 where it can be stored, printed or view by another person.

The job of the page layout subroutine 140 is to fit a given number n of images on a given image page to obtain a suitable page layout using a predetermined criteria. In the embodiment illustrated the predetermined criteria comprised fitting the n images onto the image page in such a way that minimizes the white space. The white space, which is the area of the image page not covered by an image, is defined by the following relationship:

$$\text{EQ. \#1} \quad \text{White Space} = 1.0 - (\text{total image area})/(\text{page area})$$

Wherein: the total image area is the sum of the area of the individual images to be placed on the page; and

the page area is the area as defined by the height H and Width W allowed for placement of the images. Generally, the page area would be the entire page.

The page layout subroutine 140 may take into account the aesthetic considerations of the image page layout. One important aesthetic consideration is the spatial balance of the images on the page. Spatial balance is a measure of how equally distributed the images are on the image page.

The problem of generating an acceptable image page layout that contains n images can be formulated as a combinatorial optimization problem. The most practical way of solving combinatorial optimization problems is to use stochastic algorithms, such as simulated annealing or genetic algorithms. These combinatorial optimization algorithms along with other optimization algorithms are described in Iterative Computer Algorithms with Applications in Engineering: Solving Combinatorial Optimization Problems by Sait, S. M. and Youssef, H., IEEE Computer Society, Los Alamitos, Calif., 1999.

Referring to FIG. 7, there is shown a preferred embodiment of a flow chart for a page layout subroutine 140 for calculating the layout of the images on a page according to the present invention. The subroutine 140 in the embodiment illustrated is automatically executed by a computer software program that is separate or part of a larger software program for executing the method of Fig. 5. It is to be understood that the page layout subroutine 140 may be executed

by a variety of alternative methods and optimization techniques. The height and width of the n images to be arranged on the page and the format of the page are passed to the page layout subroutine **140**. A trail page layout **212** is generated that contains all n images such that no two images overlap.

- 5 In the embodiment illustrated, two useful methods that can each be used for generating non-overlapping placement of the images on a page, are the sequence pair and bounded sliceline grid BSG structures. The sequence pair structure is described in H. Murata, K. Fujiyoshi, S. Nakatake, and Y. Kajitani, "VLSI subroutine placement based on rectangle-packing by the sequence pair,"
- 10 *IEEE Trans. Computer-Aided Design*, vol. 15, pp. 1518-1524, Dec. 1996 and the BSG structure is described in S. Nakatake, K. Fujiyoshi, H. Murata, and Y. Kajitani, "Subroutine placement on BSG-structure and IC layout applications," *Proc. IEEE Int. Conf. Computer-Aided Design*, pp. 484-491, 1996.

- At step **200**, the trail page layout **212** is generated by using one of
- 15 the above methods to produce a non-overlapping placement of the n images on a plane and then isotropically scaling (i.e. the width and height are scaled by the same proportion) each image by the same proportion so as to fit onto the chosen page format. FIG. 8 illustrates a trail page layout **212** that contains the five images shown in FIG. 3. The trail page layout **212** is then scored by at step **210** by
- 20 a cost (or objective) function. In the preferred embodiment the cost function is equal to the white space as defined by EQ. #1.

- The goal of the optimization is to find a page layout that minimizes the cost function. In the preferred embodiment a simulated annealing approach is used to find an optimal page layout. For simulated annealing, a modification or
- 25 change is made to the current trial page layout **212** to generate a new trial page layout **222** (see Fig. 9) at step **220**. New trail page layout **222** is generated by randomly changing the relative positions of the images in the current trail page layout **212**. The new trail page layout **222** is then scored at step **230** by the cost function. FIG. 9 illustrates the new trial page layout **222** that was generated by
- 30 randomly perturbing the page layout shown in FIG. 8. From herein the prior trail page layout refers to the trail page layout that was modified to generate the next new trail page layout.

A determination is made as whether to keep the new trial page layout **222** or the prior trial page layout **212** at step **240**. The new trial page layout **222** is accepted if its score is lower than the score of the prior trial page layout **212**. Also, if the score for the new page layout **222** is greater than the score the
5 prior page layout **212**, the new page layout **222** is kept with a defined probability of $\exp[-(\Delta\text{score})/T]$ where $\Delta\text{score} = (\text{score of new page layout} - \text{score of prior page layout})$. The parameter T is used to adjust the probability of keeping a new page layout. The optimization process is iterated at steps **220**, **230**, **240**, and **250** until the last iteration is obtained. The last iteration can be defined by the total
10 number of iterations or by a number of iterations without an improvement. It is to be understood that any desired criteria may be used for determining when no further iteration is needed or desired.

Optionally, further improvements in the calculated page layout can be made by further scaling the images by different amounts so to further minimize
15 the white space. Once again a simulated annealing approach may be used. A new trial page layout is generated by randomly selecting an image and scaling it by a random factor between a minimum factor *scale1* and a maximum factor *scale2* while respecting the relative positions of the images imposed by the page layout calculated by iterating through steps **220**, **230**, **240** and **250**. *Scale1* represents the
20 lower scaling limit and *scale2* represents the upper scaling limit. By varying the scale limits *scale1* and *scale2*, page layouts can be generated that possess very different artistic look and feel. A small magnitude difference between the scaling factors *scale1* and *scale2* (e.g. *scale1* = 0.9 and *scale2* = 1.1) ensures that no one image will overwhelm another image on the page. A large magnitude difference
25 between *scale1* and *scale2* can lead to optimized page layouts with very little white space where the images have very diverse sizes. A new page layout **272** is scored and compared to the prior page layout to determine which page layout to keep. Through an iterative process of modifying, scoring, and comparing a new page layout **272** such as shown in FIG. 10 is determined at step **260**. In the new
30 optimum page layout of Fig. 10 was generated by scaling each image in the page layout shown in FIG. 9 by random factors between 0.9 – 1.1.

In a further optionally step 270, the images in the page layout can be aesthetically balanced. Aesthetic considerations play a role determining what makes a visually appealing page layout to an individual. There are many different artistic looks and feels that a page layout can possess and is very personal. In a preferred embodiment, the images are aesthetically balanced by positioning them on the page so that they are equally distributed on the page with visually appealing borders between each image and the border of the page while still preserving the amount of white space. For example, but not by way of limitation, the images are positioned on the page such that the left and right borders (space) 273, 274 between an image and the next closest image or boundary (peripheral edge) of the page are made equal as shown in FIG. 12. The same is done for the top and bottom borders 275, 277 of the images as shown in FIG. 12. Note that the left/right 273, 274 and bottom/top 275, 277 borders of the images do not necessarily have to be equal. In addition, images that are close to the boundary of the page can be made left and/or right and/or top and/or bottom justified.

Referring to FIG. 16, there is shown a flow chart of an embodiment for spatially balancing the images and equalizing the top/bottom and right/left borders of the images on a page according to the present invention. It is of course understood that the process of equalizing the borders/spaces around an image may be executed by a variety of alternative methods and optimization techniques. The process of generating equal top/bottom and equal left/right borders around each image in the page layout is an iterative process where the vertical and horizontal spacing between the image are determined independently. At step 300, the n images are sorted according to their vertical (y) axis 302 (see Fig. 11). Next at step 310 the bottommost image is set to the current image. The spaces between the closest image or page boundary above and below the current image are determined at step 320. At step 330, the current image is moved vertically so that the spaces (borders) between itself and the image or page boundary above and below are equal. At step 340, the closest image above the current image is set as the new current image. Steps 320, 330, 340 and 350 are repeated until the topmost image has been repositioned. The analogous process is repeated at steps 360, 370, 380, 390, 400 and 410 for the horizontal spacing, as shown by arrow 304 in Fig.

11, between the images. The steps 300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410 and 420 are then iterated until the images have reached their equilibrium position. That occurs when none of images are repositioned through a single iteration of steps 300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400 and 410. At this point images are spatially balanced and the borders between the images have been equalized.

FIG. 11 illustrates a page layout that was generated by equally distributing the images in the page layout 276 shown in FIG. 10. As shown in FIG. 11 some of the images are either touching each other and do not have white space between them or touching the boundary of the page. To ameliorate this look, the images can be scaled down and centered in their current locations. FIG. 12 illustrates a page layout 278 where the images in FIG. 11 have been scaled down by a factor of 0.95 and centered in their current locations.

To generate a more whimsical or scrapbook look the images can be randomly rotated or rotated in a predetermined pattern. The rotation of the images should be constraint such that the rotated images do not overlap or have a maximum overlap so as not to obscure important detail in the images. For example, no overlapping image which is greater than 10% or that avoids covering the central area of the image. FIG. 13 shows a page layout 280 where the images in page layout shown in FIG. 12 have been randomly rotated between -5 and $+5$.

It is to be understood that various other modifications may be made. For example, but not by way of limitation, both the placement and scaling of the images can simultaneously be optimized in the calculation of the image page layout. The cost function can be generalized to contain many different goals in determining the page layout. Thus, in a further embodiment, the cost function can also take into account the aesthetic value in the calculation of the image page layout. In yet another embodiment of the invention, the optimization can minimize white space while simultaneously trying to avoid placing any images in a predefined location on the image page. FIG. 14 illustrates a page layout 282 where the five images 54, 56, 58, 60, and 62 were placed so as not to be in the predefined location 283 represented by the cross hatched region. While in the embodiment illustrated by FIG. 14, the location 283 is in the lower right area.

However, location **283** may be anywhere on the page. For example, but not by way of limitation, location **283** may be in the center of the page with the images surrounding the location **283**. This maybe especially useful when an image or artwork to be placed in the central location is related to the other images. In yet

5 another embodiment, the location of a given image can be constrained to appear in a predefined location on the page layout. In yet another embodiment, the scaling factors used to scale the images can be constrained in such a way as to emphasis a given image relative to the other images. FIG. 15 illustrates a page layout **284** containing the five images **54, 56, 58, 60, and 62** were the scaling factors were set
10 so as to emphasis image **58** over images **54, 56, 60, and 62**.

Optimization techniques try to find the global minimum, for example, the image layout that has the lowest possible amount of white space, but they are susceptible to being trapped in a local minimum. Since the process of optimizing the page layout is a random process, different optimal page layouts can
15 be generated each time the same images and page format are run through the page layout subroutine **140**. The system can automatically iterate through the page layout subroutine generating a predefined number of image page layouts. The page layout that has the highest score is then chosen as the preferred page layout. Though it should be noted that the most aesthetically pleasing page layout might
20 not correspond to the page layout that has the minimum amount of white space.

The invention has been described in detail with particular reference to certain preferred embodiments thereof, but it will be understood that variations and modifications can be effected within the spirit and scope of the invention.

PARTS LIST

10. system	160. accept image
12. computer	170. step
20. digital storage media	200. step
28. scanner	210. step
30. digital camera	212. trail page layout
40. input device	220. step
41. page	222. new trial page layout
42. template	230. step
43. locations	240. step
44. locations	250. step
45. locations	260. step
46. locations	272. new page layout
47. locations	273. left borders
50. display monitor	274. right borders
54. image	275. bottom borders
56. image	276. page layout
58. image	277. bottom borders
60. image	278. page layout
61. printer	282. page layout
62. image	283. location
63. server	284. page layout
64. network service provider	300. step
70. network	302. axis
80. page	304. arrow
100. step	310. step
110. step	320. step
120. step	330. step
130. step	340. step
140. page layout subroutine	350. step
150. display	360. step

370.	step	
380.	step	
390.	step	
400.	step	
410.	step	
420.	step	

WHAT IS CLAIMED IS:

1. A method of organizing a plurality of images in a predetermined page format, comprising the steps of:
grouping said plurality of images into a plurality of different page layouts;
analyzing each of said different page layouts in accordance with a predetermined criteria; and
selecting the page layout based on said predetermined criteria.
2. A method according to claim 1 further comprising placing said plurality of images in said selected page layout.
3. A method according to claim 1 wherein said predetermined criteria comprises the amount of white space in each of said page layouts.
4. A method according to claim 3 wherein said analyzing said different page layouts comprises scoring each of said different page layouts.
5. A method according to claim 1 further comprising the step of further scaling the images of said selected page layout by different amounts.
6. A method according to claim 3 wherein the amount of white space is minimized by using stochastic algorithms.
7. A method according to claim 1 wherein said predetermined criteria includes placing images in said different page layouts in a non-overlapping pattern.
8. A method according to claim 1 wherein said placing of said plurality of images in said different page layouts comprises scaling all of said images such that they fit within said page format.

9. A method according to claim 1 wherein said analyzing of said different page layouts comprises a iteration of comparing sequentially two different page layouts and selecting the best page layout until little or no further improvement in scoring is obtained.

10. A method according to claim 9 further comprising the step of scaling individual images of the page layout obtained after said iteration.

11. A method according to claim 9 further comprising the step of rotating said images a predetermined amount.

12. A method according to claim 1 further comprising the step of spatially balancing the spacing between said images.

13. A method according to claim 1 further comprising the step of positioning said images in said selected page layout so as to provide a desired border on said page.

14. A method according to claim 12 wherein said white space is determined vertically between adjacent images in said page layouts.

15. A method according to claim 12 wherein said white space is determined horizontally between adjacent images in said page layouts.

16. System for organizing a plurality of images in a predetermined format, comprising:

a first computer for composing a plurality of digital image on a page;

a software program such that when loaded on said computer will causes said computer to group said plurality of images into a plurality of different page layouts;

analyzing each of said different page layouts in accordance with a predetermined criteria; and

selecting the page layout based on said predetermined criteria.

17. A system according to claim 16 where in said computer can be accessed remotely over a communication network.

18. A system according to claim 17 said computer is accessed by a second computer.

19. A system according to claim 18 wherein said software program is run on said first computer.

20. A system according to claim 18 wherein said second computer is personal computer of a customer.

21. A system according to claim 17 said computer is accessed by a retail kiosk.

22. A computer software product for organizing a plurality of images in a predetermined format comprising a computer readable storage medium having a computer program which when loaded into a computer causes the computer to perform the following steps:

grouping said plurality of images into a plurality of different page layouts;

analyzing each of said different page layouts in accordance with a predetermined criteria; and

selecting the page layout based on said predetermined criteria.

23. A method of organizing a plurality of images in a predetermined page format, comprising the steps of:


providing a plurality of digital images;

[illegible]

ABSTRACT OF THE DISCLOSURE

5

Fig. 1






FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 6




FIG. 8




FIG. 9





FIG. 10

FIG. 7






FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16

Combined Declaration For Patent Application and Power of Attorney

ATTORNEY DOCKET
81020F-P

As below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

METHOD OF ORGANIZING DIGITAL IMAGES ON A PAGE

The specification of which (check only one item below):

☒ is attached hereto.☐ was filed as United States Application Serial No. on and
was amended on (if applicable).☐ was filed as PCT international application Number on and was amended under PCT Article 19 on (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the U.S. Patent & Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign applications(s) for patent or inventor's certificate or any PCT international application(s) designating a least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:

PRIOR FOREIGN/PCT APPLICATION(S) AND ANY PRIORITY CLAIMS UNDER 35 U.S.C. 119:

COUNTRY (if PCT, indicate PCT)	APPLICATION NUMBER	DATE OF FILING (day month year)	PRIORITY CLAIMED UNDER 35 USC §119			
			<input type="checkbox"/>	YES	<input type="checkbox"/>	NO
			<input type="checkbox"/>	YES	<input type="checkbox"/>	NO
			<input type="checkbox"/>	YES	<input type="checkbox"/>	NO

I hereby claim the benefit under Title 35, United States Code, 119 §(e) of any United States provisional application(s) listed below:

PRIOR PROVISIONAL APPLICATION(S) AND ANY PRIORITY CLAIMS UNDER 35 U.S.C. §119 (e):

PROVISIONAL APPLICATION NUMBER	FILING DATE

I hereby claim the benefit under Title 35, United States Code, §120 of any prior United States application(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that/those prior applications(s) in the manner provided by the first paragraph of Title 35, §112, I acknowledge the duty to disclose to the U.S. Patent & Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations §1.56, which became available between the filing date of the prior application(s) and the national or PCT international filing date of this application:

PRIOR US APPLICATIONS OR PCT INTERNATIONAL APPLICATIONS DESIGNATING THE U.S FOR BENEFIT UNDER 35USC§120:

U.S. APPLICATIONS			STATUS (Check one)		
U.S. APPLICATION NUMBER	U.S. FILING DATE		PATENTED	PENDING	ABANDONED
PCT APPLICATIONS DESIGNATING THE U.S.					
PCT APPLICATION NO.	PCT FILING DATE	U.S. SERIAL NUMBERS ASSIGNED (if any)			

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith (*List name and registration number*)

Frank Pincelli, Registration No. 27,370
Thomas H. Close, Registration No. 27,428
J. Lanny Tucker, Registration No. 27,678
Sarah Meeks Roberts, Registration No. 33,447
Milton S. Sales, Registration No. 24,516

Send Correspondence to:


Milton S. Sales
 Eastman Kodak Company
 Patent Legal Staff
 Rochester, NY 14650-2201

Direct Telephone Calls to:
(name and telephone number)

Frank Pincelli
 (716) 588-2728
 FAX: (716) 477-4646

2	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
0	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
1	BUSINESS ADDRESS	BUSINESS ADDRESS	CITY	STATE & ZIP CODE (COUNTRY)
2	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
0	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
2	BUSINESS ADDRESS	BUSINESS ADDRESS	CITY	STATE & ZIP CODE (COUNTRY)
2	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
0	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
3	BUSINESS ADDRESS	BUSINESS ADDRESS	CITY	STATE & ZIP CODE (COUNTRY)
2	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
0	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
4	BUSINESS ADDRESS	BUSINESS ADDRESS	CITY	STATE & ZIP CODE (COUNTRY)
2	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
0	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
5	BUSINESS ADDRESS	BUSINESS ADDRESS	CITY	STATE & ZIP CODE (COUNTRY)
2	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
0	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
6	BUSINESS ADDRESS	BUSINESS ADDRESS	CITY	STATE & ZIP CODE (COUNTRY)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

SIGNATURE OF INVENTOR 201 	SIGNATURE OF INVENTOR 202	SIGNATURE OF INVENTOR 203
DATE 4/27/00	DATE	DATE
SIGNATURE OF INVENTOR 204	SIGNATURE OF INVENTOR 205	SIGNATURE OF INVENTOR 206
DATE	DATE	DATE